



COTTON UNIVERSITY

Panbazar, Guwahati, Assam-781001

www.cottonuniversity.ac.in :: 0361-2733530 :: registrar@CU.ac.in

No. CU/EC/2022/115/ 4340

Date: - 02/06/26

Notice Inviting Tender No- 05

Cotton University invites tender in two bid system from established electrical contractor of appropriate category for the works of "Electrical repairing works at MCB, BKK Building". The tender should be submitted to the "Office of the Registrar" within Seven days from the date of issue of this NIT.

1. Terms and Condition:-

The following condition should be fulfilled,

- 1.1 Contractor should be registered with APWD/University/Any other Govt Agency. Copy of the up-to date registration should be submitted along with the tender.
- 1.2 Contractor must submit valid electrical contractor license of capacity not less than 650V issued by competent authority, Govt. of Assam.
- 1.3 Contractor must submit valid work experience certificate of similar nature as applicable.
- 1.4 The payment will be made as per measurement. Allotted time to complete the work is Fifteen (15) days from the date of issue of work order.
- 1.5 Rate should be quoted as item rate basis.
- 1.6 Relevant documents in respect to 1.1, 1.2 and 1.3 shall be submitted in one sealed envelope super scribing "Technical Document". The Price Bid shall be submitted in another sealed envelope super scribing "Price Bid" Both the envelope shall be put inside another sealed envelope super scribing the name of the work as well as the name of the bidder. In case this system is not found to be followed, the tender shall be liable for rejection. The envelope containing the qualifying documents shall be opened first, and the price-bids of only those bidders who are found to be in compliance of the terms- 1.1, 1.2, and 1.3 shall be opened. This tender notice is also a part of the submission of tender.
- 1.7 Security Deposit amounting to 10% of the billed value will be deducted from bills which will be refunded after Six (6) months from the date of issue of completion certificate. The defect liability period for the work shall be Six (6) months from the issue of the completion certificate.
- 1.8 CU reserves the rights to accept, consider or reject any or all applications without assigning any reasons thereof. The decision of CU in respect of selection of party will be intimated by office order and shall be final. All disputes in this connection shall be settled in Kamrup metro jurisdiction only.
- 1.9. Intending applicant must submit an amount of Rs. 500.00 as tender application fees in the form of DD drawn in favour of The Registrar, Cotton University payable at Guwahati, Assam. Separate application must be submitted if anyone wishes to participate in both the tenders.


2. List of approved materials:-

Sl. No.	Item	Approved Make
1	Copper multi-strand wire	KEI/Finolex/Polycab
2	Switchgears with MCB DB	Schneider/Hager/Legrand
3	Switch, Socket, Starters	Anchor/Kolors/Greatwhite
4	Casing-capping	Presto Plast or equivalent as approved by the Deptt.
5	Any other items	As approved by the Deptt,

[Handwritten Signature]

[Handwritten Signature]

[Handwritten Signature]



अममतेन वेदव्यम्

COTTON UNIVERSITY

Panbazar, Guwahati, Assam-781001

www.cottonuniversity.ac.in :: 0361-2733530 :: registrar@CU.ac.in


PRICE BID

Sl. No	Item Description	Unit	Qty	Rate in Figures	Rate in Words	Amount
1	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	Each	34			
2	Supplying, Installation, Testing & Commissioning of LED surface mounted Batten light of following body material and construction as per IS : 10322 with driver (Replaceable) as per the requirement with Driver efficiency >85%, Operating voltage AC 140-270 Volt, frequency 50/60 hz, Operating temp range -5 °C to 40 °C, internal surge protection of 2.5 KV with Short & Open circuit protection, THD < 10%, P.F.≥0.95, IP20, CRI >80, Flicker free, (flicker should be below 5 %), life time (LED, Driver & electrical circuitry), of minimum 50000 Burning Hours with 70% of initial Lumen maintained till life ends, CCT 3000°K / 4000°K / 5700°K /6500°K (As per ANSI Bin), SDCM(Standard Deviation Colour Matching) <3, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard. Manufactures Word Mark/ Name Engraved/Embossing/ Screen printing on housing. complete in all respect i/c external connections with 1.5 sqmm FRLS/HFFR, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy ≥105 <120 lm/Watt output . LM79 & LM80 Test report and all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-inCharge as per requirement. (Thermal management: heat sink of aluminium housing such that LED junction temperature shall not rise above 90°C).	Each	21			
3	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)	Each	78			

Handwritten signature

Handwritten mark

Handwritten mark



COTTON UNIVERSITY

Panbazar, Guwahati, Assam-781001

www.cottonuniversity.ac.in :: 0361-2733530 :: registrar@CU.ac.in

अप्रमत्तैर्न वैद्व्यम्

4	Supply, Installation, Testing and Commissioning of ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. metal(Aluminium alloy) blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, steel/Al body. Power Factor not less than 0.9, Service Value (CM/M/W) minimum as below, 350 RPM (tolerance as per IS : 374-2019), THD (Total Harmonic Distortion) less than 10%, remote (preferably mobile app based) for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 0C (max.), insulation resistance more than 2mega ohm, suitable for 230 V, 50 Hz, single phase AC supply Ceiling Fan compliant to IS 374:2019 fan i/c external connections with 1.5 sq.mm FRLS/HFFR, PVC insulated copper conductor single core cable and earthing etc. as required.					
	1400mm, service value ≥ 6.0 CM/Min/Watt, air delivery 245 CM/Min (Minimum)	Each	24			
5	Repairing, servicing, gas refilling of air conditioning units	Job	7			
						Total in Rs.

(Rupees.....)

Signature of the tenderer

Seal

Him Sena

Registrar

[Signature]

Memo No. CU/EC/2022/115/ 4340-43

Date: - 02/06/26

Copy to:-

1. PS to VC for bringing it to the notice of the Hon'ble VC
2. System Manager, to upload the tender document in the University's website
3. Notice Board
4. Office Copy